

**Dužina kabla u (m) na KTG dobošima / Cable length (m) according to KTG drums**

Ø(mm)	061F	071F	081F	091F	101F	121F	141F	161F	181F	201F	221F	250F	251F
6	1113	2024	2755										
7	845	1 481	2 340										
8	637	1 064	1 463	2 731									
9	472	892	1 152	2 202	2 866								
10	386	677	980	1 768	2 349								
11	314	564	761	1 404	1 912								
12	253	468	643	1 206	1 540								
13	237	385	542	1 032	1 339	2727							
14		364	454	881	1 159	2265	2967						
15		297	430	749	1 000	1991	2479						
16		239	358	632	860	1756	2205						
17		228	394	603	736	1545	1959						
18		218	281	505	705	1355	1737						
19		172	228	485	599	1184	1535	2722					
20		165	219	402	576	1139	1352	2435	2831				
21		159	211	387	485	991	1304	2172	2527				
22		122	167	315	468	856	1145	1931	2248				
23		117	161	304	389	827	999	1869	2172	2 953			
24		113	156	294	377	709	967	1657	1927	2 608			
25		110	151	285	365	688	839	1608	1867	2 522			
26		80	116	226	299	668	814	1419	1650	2218			
27		78	113	221	290	567	700	1244	1450	2150	2861		
28		76	109	215	282	551	681	1211	1409	1879	2777		
29		73	106	209	226	462	663	1180	1371	1826	2450		2976
30		71	103	162	220	450	564	1028	1197	1583	2383		2893
31			76	157	214	438	550	1003	1166	1540	2089		2558
32			74	153	209	428	537	866	1009	1500	2035	2978	2491
33			72	150	204	352	451	846	985	1289	1984	2908	2428
34				146	158	344	441	828	962	1257	1726	2605	2134
35				108	154	336	431	707	824	1227	1685	2547	2083
36				105	151	329	422	692	806	1041	1646	2271	2035
37				103	148	265	348	678	788	1017	1418	2223	1774
38					144	259	341	664	772	994	1386	1969	1735
39					107	254	334	560	653	972	1356	1930	1697
40					105	249	327	549	640	812	1328	1892	1486
41					102	244	264	539	627	795	1130	1664	1435
42					100	190	259	529	615	779	1107	1633	1406
43						187	254	437	511	763	1085	1603	1199
44						183	249	430	502	749	1064	1574	1175
45						180	245	422	492	611	890	1373	1153
46						177	240	415	484	600	874	1349	1131
47						174	187	408	475	589	858	1326	1110
48						129	184	330	386	578	842	1144	931
49						127	181	325	380	568	828	1125	914
50						125	178	319	373	558	818	1107	898
51						123	175	314	367	442	666	1089	883

Ø(mm)	061F	071F	081F	091F	101F	121F	141F	161F	181F	201F	221F	250F	251F
52						121	172	310	361	435	655	1072	869
53							172	305	356	428	644	912	713
54							126	238	280	421	634	898	701
55							124	235	276	414	624	885	690
56							122	232	271	408	614	872	679
57							121	228	267	401	488	860	668
58							119	225	263	304	480	719	658
59							117	222	260	300	473	709	649
60								219	256	295	466	699	639
61								216	252	291	460	689	609
62								161	190	287	453	680	501

#### Drveni doboši za kablove / Cable drums wood

Drum size	Flange diameter	Core diameter	Width over all	Range of winding	Drum weight
Veličina doboša	Prečnik prirubnice	Presek središta	Ukupna širina	Opseg namotavanja	Težina doboša
	D1 (mm)	D2 (mm)	I2 (mm)	I4 (mm)	appr. (kg)
61F	630	150	490	315	13
71F	710	355	520	400	25
81F	800	400	520	400	31
91F	900	450	690	560	47
101F	1000	500	710	560	71
121F	1250	630	890	670	144
141F	1400	710	890	670	175
161F	1600	800	1100	850	280
181F	1800	1000	1100	840	380
201F	2000	1250	1350	1045	550
221F	2240	1400	1450	1140	710
250F	2500	1400	1450	1140	875
251F	2500	1600	1450	1130	900

#### Plastični doboši za kablove / Cable drums plastic

Drum size	Flange diameter	Core diameter	Width over all	Range of winding	Drum weight
Veličina doboša	Prečnik prirubnice	Presek središta	Ukupna širina	Opseg namotavanja	Težina doboša
	D1 (mm)	D2 (mm)	I2 (mm)	I4 (mm)	appr. (kg)
70M	710	355	510	400	15
80M	800	400	510	400	16
90M	900	450	680	560	23
100M	1000	500	704	560	32

**Metalni doboši za kablove / Cable drums metal**

Drum size	Flange diameter	Core diameter	Width over all	Range of winding	Drum weight
Veličina doboša	Prečnik prirubnice	Presek središta	Ukupna širina	Opseg namotavanja	Težina doboša
	D1 (mm)	D2 (mm)	I2 (mm)	I4 (mm)	appr. (kg)
080V	800	400	500	400	40
100V	1000	500	600	500	68
120V	1200	600	710	600	145
150V	1500	750	900	780	220
180V	1800	1150	1025	895	285
200V	2000	1300	1045	895	340
220V	2200	1450	1155	985	630
260V	2600	1600	1980	1250	896